ABSTRACT

Ratih Indah Sari 3001120042

The Relation of Smoking History towards Respiratory Disruption on Elderly in RT.03 RW.01 Kecamatan Sukarami Palembang

SKRIPSI PROGRAM STUDI ILMU KEPERAWATAN FAKULTAS ILMU KESEHATAN UNIVERSITAS KATOLIK MUSI CHARITAS

Keywords: smoking history, respiratory disruption (xvii + 75 pages + 7 tables + 1 picture + 3 charts + 6 attachment)

Background : The diseases that related to tobacco frequently attack midlife age people who has smoking history from their young or teen age. Smoking is very influential towards smoker health and people around them.

Purpose: This research aims to know the relation of smoking history towards respiratory disruption on elderly in RT.03 RW.01 Kecamatan Sukarami Palembang.

Method: This research using *analytic survey* method by using *cross sectional* plan. This research conducted in RT.03 RW.01 Kecamatan Sukarami Palembang with the number of respondents amounted 33 people, using *total sampling* technique.

Result : Analyzed data is using univariate analysis and bivariate with *Chi Square* test. Smoking history shows its distribution frequency as of : Light are 4 (12.1%), Moderate are 21 (63.6%), Heavy are 8 (24.2%) and respiratory disruption distribution frequency results are : don't have disruption are 26 (78.8%), have disruption are 7 (21.2%). The result of *Chi Square* test obtain *p value* = 300 which is greater than $\alpha = 0.05$, so then Ho is accepted and Ha is rejected that means no meaningful relationship (significant) between the smoking history against the respiratory disruption in elderly in RT.03 RW.01 Kecamatan Sukarami Palembang.

Sugesstion: It is expected to the societies to get better health by stopping the consumption of cigarette from now, considering its bad effect for health in general and especially for respiratory.

Referreces: (2004-2015)