

DAFTAR PUSTAKA

- Balai Besar Laboratorium Kesehatan (2010). Instruksi Kerja Kalibrasi Alat Pemeriksaan Natrium.
- Bio-Rad Laboratorium (2008). Basic Lessons in Laboratory Quality Control (3)
- Buyung HL, Bambang JO, Sri R, Siti CS (2014). Gangguan Natrium pada Pasien Bedah Saraf 3(1) 48-57
- Cadamuro J, Mrezek C, Leichtle, B. A, Kipman U, Felder K.T, Widemann H, Oberkofler H, Fiedler M.G, Becher H.E, (2018) Influence of centrifugation conditions on the result of 77 routine clinical chemistry analytes using standard vacuum blood collection tubes and the new BD-Barricor tubes. Vol (1)
- Dahlan MS (2008). Statistik Untuk Kedokteran Dan Kesehatan. Jakarta : Salemba Medika.
- Dahlan, Sopiudin (2009). Statistik Untuk Kedokteran dan Kesehatan . Jakarta : Salemba Medika.
- Danis P (2009). Perbandingan Hasil Pemeriksaan Na, K, Cl antara Penampungan Spesimen Menggunakan Tabung Kaca dan Tabung Pemisah Serum Comparative Study of The Results of Na, K, Cl. Vol 1(2)
- Glady L.R (2014). Gangguan Keseimbangan Air dan Natrium Serta Pemeriksaan Osmolalitas 6(3) : 46-54
- Aji KG, Djoko P, Rivai M (2018). Pengendalian Kecepatan Pada Alat Sentrifugasi. Vol 7(2)
- Holland LL, Dom Bourian M (2012). Evaluation of an Abbreviated Centrifugation Protocol for Chemistry Testing. Lab medicine 43(3):78- 81.
- KepMenkes RI No 1792 (2010). Pedoman Pemeriksaan Kimia Klinik . Diakses 14 Desember 2010
- KepMenkes No. HK.03.05/III/571/II, (2011). Pedoman Interpretasi Data Klinik
- Kishu M (2011). Quality Assurance: Importance Of System And Standard Operating Procedures. Vol (2)
- Koa CH, Shu LC, Yen WH (2010) Evaluation of High – Speed Centrifuge with Rapid Preparation of Plasma for Coagulation Testing to Improve Turnaround Time. J Biomed Lab Sci 22 (1) 23.

- Lenny N, Barita A (2017). Pemantapan Kadar Kafein Pada Minuman Berenergi Sediaan Sachet Yang Beredar Disekitar Pasar Petsiah Medan. Vol. 1, No 1, Hal 37 – 42
- Lippi G.G.L.S, Martina M.G.C (2007). Preparation Of A Quality Sampel : Effect Of Centrifugation Time On Stat Clinical Chemistry Testing
- Medica Corp (2014). Medica Easy Lyte Operator's Manual. USA: Bedford
- Minder El, Schibli A, Mahrer D, Nesic P, And Pluer K (2011). Effects Of Different Centrifugation Conditions On Clinical Chemistry And Immunology Test Results 11 (6)
- Novita L, Aritonga B (2017). Penetapan Kadar Kafein Pada Minuman Berenergi Sediaan Sachet Yang Beredar Di Sekitar Pasar Petisah Medan. Vol 1 (1) : 37 – 42
- Nurihardiyanti, Yuliet, Ihwan, (2015). Aktifitas Diuretik Kombinasi Ekstrak Biji Pepaya (*Carica Papaya L.*) Dan Biji Salak (*Sallacca Zalacca Varietas Zalacca (Gaert.) Voss*) Pada Tikus Jantan Galur Wistar (*Rattus Norvegicus L.*). Vol. 1 (2) : 105 – 112
- Riswanto, (2013). Pemeriksaan Hematologi. Jakarta : Alfabedia
- Ryan YT, Glady IR, Mayer FW (2016). Gambaran Kadar Natrium dan Klorida Pada Pasien Penyakit Ginjal Kronik Stadium 5 non-dialisis
- Siregar, S (2017). Statistik Parametrik untuk Penelitian Kuantitatif. Jakarta : Prenadamedia Group.
- Sukorini U, Nurgroho DK, Rizki M, Hendriawan BPJ (2010). Pemantapan Mutu Internal Laboratorium. Yogyakarta : Alfa Media.
- Sunita A, (2009). Prinsip Dasar Ilmu Gizi. Jakarta : Gramedia Pustaka Utama pp 230-232
- Usi S, Dwi KN, Mohammad R, Bambang, HPJ, (2010). Pemantapan Mutu Internal Laboratorium. Yogyakarta : Alfabedia
- Yanswir R, Ira F (2012). Fisiologi dan Gangguan Keseimbangan Natrium, Kalium, dan Klorida serta Pemeriksaan Laboratorium. Jurnal Kesehatan Andalas 1(2) : 80-85