

Advances in Social Science, Education and Humanities Research



Series: Advances in Social Science, Education and Humanities Research

Proceedings of the First International Conference on Health, Social Sciences and Technology (ICoHSST 2020)

ORGANIZERS

Editor

Wasaporn Chanput

Kasetsart University, Thailand

Co-editors

Khor Geok Lin

IMU, Malaysia

Grace Wangge

SEAMEO-RECFON, Jakarta

Technical program committee

Ira Kusumawaty

Politeknik Kesehatan Palembang

Tonny C. Maigoda

Politeknik Kesehatan Bengkulu

Sri Wahyuni

Stikes Budi Luhur

Organizing committee

Muliyadi

Politeknik Kesehatan Palembang

Yuli Hartati

Politeknik Kesehatan Palembang

Podojoyo

Politeknik Kesehatan Palembang

Ihsan Tarmizi

Politeknik Kesehatan Palembang

Atlantis Press

Atlantis Press – now part of Springer Nature – is a professional publisher of scientific, technical & medical (STM) proceedings, journals and books. We offer world-class services, fast turnaround times and personalised communication. The proceedings and journals on our platform are Open Access and generate millions of downloads every month.

For more information, please contact us at: contact@atlantis-press.com

PROCEEDINGS

ABOUT

JOURNALS

NEWS

- ▶ CONTACT
- PUBLISHING SERVICES

SEARCH



Home Privacy Policy Terms of use fin







Copyright © 2006-2021 Atlantis Press – now part of Springer Nature



Series: Advances in Social Science, Education and Humanities Research

Proceedings of the First International Conference on Health, Social Sciences and Technology (ICoHSST 2020)

PUBLISHING INFORMATION

Bibliographic information:

Title

Proceedings of the First International Conference on Health, Social Sciences and Technology (ICoHSST 2020)

Editors

Wasaporn Chanput Khor Geok Lin Grace Wangge

Part of series

ASSEHR

Volume

521

ISSN

2352-5398

ISBN

978-94-6239-365-3

Indexing

All articles in these proceedings are submitted for indexation in **CPCI**, **CNK Google Scholar**. Optionally, we also submit to **Compendex** and **Scopus**. Note that in case you need information about the indexation of these proceedings, please

check with the organizers of the conference as we cannot reply to messages received from participants.

Free Access

In order to increase the visibility of this conference and of the papers from its participants, this conference has chosen to sponsor the online publication of the conference papers. Therefore, all conference papers can be read and downloaded **for free**; no subscription or other payment is required.

Copyright

The copyright of all articles published in these proceedings remains with the **Authors**, i.e. Authors retain full ownership of their article. Permitted third-party reuse of the open access articles is defined by the applicable **Creative Commons** (**CC**) end-user license which is accepted by the Authors upon submission of their paper. All articles in these proceedings are published under the **CC BY-NC 4.0** license, meaning that end users can freely **share** an article (i.e. copy and redistribute the material in any medium or format) and **adapt** it (i.e. remix, transform and build upon the material) on the condition that proper **attribution** is given (i.e. appropriate credit, a link to the applicable license and an indication if any changes were made; all in such a way that does not suggest that the licensor endorses the user or the use) and the material is only used for **non-commercial** purposes. For more information, please refer to the Open Access and User Licenses section in the Atlantis Press Open Access & Article Sharing policy.

DOIs

Each article that is published in these proceedings is assigned a **Digital Object Identifier** (DOI). DOIs are standardized digital identities which can be used to cite
and link to electronic content. A DOI is guaranteed to never change, so can be
used as a persistent identifier to permanently link to an electronic article no

matter where it is stored. More information on how to cite and use DOIs car found here.

Permanent Archiving

Atlantis Press is committed to the **permanent availability** and **preservation** of scholarly research and to ensure accessibility to this research by converting and upgrading digital file formats to comply with new technology standards. Besides maintaining its own digital archive, Atlantis Press therefore collaborates with the National Library of the Netherlands which permanently archives all Atlantis Press content in their "e-Depot". All proceedings are uploaded to this e-Depot after publication to guarantee permanent archiving of the articles.

Print Copies

In case you wish to have **printed copies** of these proceedings you can order these directly from our partner Curran Associates.

Atlantis Press

Atlantis Press – now part of Springer Nature – is a professional publisher of scientific, technical & medical (STM) proceedings, journals and books. We offer world-class services, fast turnaround times and personalised communication. The proceedings and journals on our platform are Open Access and generate millions of downloads every month.

For more information, please contact us at: contact@atlantis-press.com

- **PROCEEDINGS**
- **JOURNALS**
- **BOOKS**
- PUBLISHING SERVICES

- ABOUT
- NEWS
- CONTACT
- SEARCH

Home Privacy Policy Terms of use







Copyright © 2006-2021 Atlantis Press – now part of Springer Nature



Series: Advances in Social Science, Education and Humanities Research

Proceedings of the First International Conference on Health, Social Sciences and Technology (ICoHSST 2020)

AUTHORS

189 authors

Abdullah, Vera Iriani

Effectiveness of Football Hold Position Breastfeeding Techniques and Upright Position on Decreasing Regurgitation Frequency Newborn

Adyatmaka, Irene

Comparison of Blood Pressure and Pulse Measurements to Tai Chi Exercise in Hypertensive Patients in East Jakarta

Amin, Maliha

The Effectiveness of Health Education by Accommodating Seven Monthly Culture to Knowledge, Attitude and Action of Pregnant Woman in Palembang

Anwar, Khairil

The Effectivity of Making Ethanol By Cassava Skin Waste Using Bread and Tapai Yeast as Activator

Arrizki, Khusnul Alifia

The Influence of Wait on Physical Chemistry and Microbiology on Melted Foods Hospital Formula and Commercial Formula In RS.RK Charitas Palembang

Arum, Widya

Cork Fish Bone Residue of Enrichment Wet Noodle: Chemical and Sensory Characteristic

Astuti, Ratnaningsih Dewi

A Stick Formulation of a Mixture of Citronella Oil, Cananga Oil and Patchouli Oil as Aromatherapy



Astuti, Sri

Comparison of Early Childhood Development Rates in Two Different Types of Kinder Garten

Astuti, Vera

Comparison of Antidiabetes Effects of Single Black and Mixed Black Cumin Products on Reduction of Blood Glucose Male White Mice

Astuti, Ratnaningsih Dewi

Patch Formulation of Celery Leaves Extract (Apium Graveolens L.) As Mosquito Repellent

Atrisha, Rheviani

Comparative Study of Psychosocial Development Between Former Teenagers and Non Drug Users at Yayasan Ar-Rahman

Azizah, Hajrah

Effectiveness of Football Hold Position Breastfeeding Techniques and Upright Position on Decreasing Regurgitation Frequency Newborn

Azwaldi

Comparison of Early Childhood Development Rates in Two Different Types of Kinder Garten

Baroroh, Faridah

Cost-Effectiveness Analysis of Antihypertensive Drug Use in Hypertension-Diabetes Mellitus and Hypertension-Heart Failure Inpatients at a Government Hospital in Yogyakarta, Indonesia

Cahyati, Septi Alifa

The Effect of Apples as Self-Cleansing to Reduce Plaque Scores on Madrasah Ibtidaiyah Tarbiyah Islamiyah Students Palembang

Dahliana

The Impact of Immunization of BCG on Toddler Exposed to Pulmonary TB Patients in Landfill Site of Sukawinatan, Sukajaya Village, Sukarami District Palembang City 2019

Damanik, Hanna DL

Anxiety Stress and Fatigue in Hemodialysis Patient

טווטע ואַע

The Effect of Nutrition Food Diversity Assistance on Weight Gain of Undernourishe Toddlers at Jambi City



Detiana

The Burden of a Family in Caring For Members Who Suffer From Mental Disorders

Devriany, Ade

Determinants of Stunting in Children Aged 0-24 Months in Bangka Belitung Province

Diah, Navianti

The Effect of Addition of Plastic Waste and Styrofoam Waste Against Powerful Concrete Brick Press

Elviani, Yeni

Comparative Study of Psychosocial Development Between Former Teenagers and Non Drug Users at Yayasan Ar-Rahman

Emilia

Nutrition Education with Counseling and Pocket Book Media to Increase Knowledge of Vegetables and Fruit Consumption in Student of SMPN 2 Pangkalpinang City

Enardi, Ori Pertami

Determinants of Stunting in Children Aged 0-24 Months in Bangka Belitung Province

Enardi, Ori Pertami

Proximate of Pempek Instant Flour and Sensory Evaluation of Pempek from Mackerel Fish (Scomberomorus Commersonii)

Eprila

The Role of Midwives in Overcoming Labor Pain

Farihani, Bina

The Effect of the Addition of Noni Juice to Seluang Fish Kerupuk on Characteristics and Acceptability

Fatima, Ammira

The Effect of Self Surrender Exercise on Stress in Patients of Diabetes Melitus Type II

Fatimah-Muis, S.

Characteristics, Nutritional Status, and Sarcopenia in the Elderly in Pangkalpinang City

Febrihaq, Diah

Formulation of Foot Lotion Containing Papaya Leaf Extract (Carica Papaya L.) With Ethanol Amine Concentration Variation as Emulgator and Its Physical Stability



Feri, Jhon

Table Top Disaster Simulation to Enhance Community Knowledge of Flood Disaster Preparedness in Musi Rawas Regency

Fitria, Karin Tika

The Effect of Chewing Sugar Cane on Plaque Formation

Friantini, Tri

Formulation and Receiving Power Cookies Hayakarah as an Effort to Prevent Anemia

Gani, Abdul

The Nursing Implementation of Monitoring Blood Glucose in Increasing the Stability of Blood Glucose Level in Patients with Diabetes Mellitus

Garini, Ardiya

Correlation of Knowledge and Training with the Implementation of Standard Operational Procedure (SOP) of Quality Control for Glucosemeter

Handayatun, Naning Nur

The Effect of Chewing Sugar Cane on Plaque Formation

Hanum, Nur Adiba

The Fruit of Seated (Melastomamalabathricum L.) As Agent for Detecting the Age and Acidity of Dental Plaque

Harianja, Sri Hartini

Correlation of Knowledge and Training with the Implementation of Standard Operational Procedure (SOP) of Quality Control for Glucosemeter

Hartati, Yuli

Cork Fish Bone Residue of Enrichment Wet Noodle: Chemical and Sensory Characteristic

Hartati, Yuli

The Effect of Substitution of Mungabean Flour and Tapioca on the Acceptability of Pie Shells as a Source of Fiber and Potassium

Hartati, Yuli

The Influence of Wait on Physical Chemistry and Microbiology on Melted Foods Hospital Formula and Commercial Formula In RS.RK Charitas Palembang

Hartati, Yuli

Formulation and Receiving Power Cookies Hayakarah as an Effort to Prevent Anem



Hartati, Yuli

Snack Bar Catfish Bone Meal and Red Bean Flour For Malnourished Children: Nutritional

Content and Sensory Properties

Haryanti, Eka

Overview of the Characteristics of People with Mental Disorders and Family Caregiver

Herpi, Juli

The Effect of Some Herbal Juice Formula on Serum Total Cholesterol Level of High Lipid Diet-PTU Rats

Heryani, Erna

The Effect of Nutrition Food Diversity Assistance on Weight Gain of Undernourished Toddlers at Jambi City

Imanda, Yunita L.

The Effect of Some Herbal Juice Formula on Serum Total Cholesterol Level of High Lipid Diet-PTU Rats

Isomarina, Rini

The Effect of Some Herbal Juice Formula on Serum Total Cholesterol Level of High Lipid Diet-PTU Rats

Jawiah

Effect of Mother Baby Care (MBC) Package with the Palembang Cultural Approach Adaptation to Physic and Psychological Period Post Partum

Juniati, Hera

The Effect of Some Herbal Juice Formula on Serum Total Cholesterol Level of High Lipid Diet-PTU Rats


Kadir, A.

The Impact of Immunization of BCG on Toddler Exposed to Pulmonary TB Patients in Landfill Site of Sukawinatan, Sukajaya Village, Sukarami District Palembang City 2019

Kamsul

Effectiveness of Giving Health Education About Healthy Houses as Effort of Prevention of Pulmonary Tuberculosis in the Pelabuhan Dalam Village in the Pemulutan Community

Health Center of Ogan Iir District 2019



Determinants of Stunting in Children Aged 0-24 Months in Bangka Belitung Province

Kartasurya, Martha Irena

Characteristics, Nutritional Status, and Sarcopenia in the Elderly in Pangkalpinang City

Karunia, Tari Janesa

Formulation of Foot Lotion Containing Papaya Leaf Extract (Carica Papaya L.) With Tri Ethanol Amine Concentration Variation as Emulgator and Its Physical Stability

Khotimah, Siti

A Stick Formulation of a Mixture of Citronella Oil, Cananga Oil and Patchouli Oil as Aromatherapy

Khotimah, Siti

Patch Formulation of Celery Leaves Extract (Apium Graveolens L.) As Mosquito Repellent

Koerniawan, Dheni

Effect of Instrumental Music Therapy on Pain Scale of Patient Post Major Surgery

Koerniawan, Dheni

Comparison of Blood Pressure and Pulse Measurements to Tai Chi Exercise in Hypertensive Patients in East Jakarta

Komariah, Nurul

The Relation Between Labor Pain with Maternal Anxiety

Kristianto, Jusuf

The Effectiveness of Health Education by Accommodating Seven Monthly Culture to Knowledge, Attitude and Action of Pregnant Woman in Palembang

Kurniawan, Ian

Analysis of Physical and Chemical Water Quality (Sekanak River in Lowlands Area) to Support the Palembang City Government Revitalization Program

Kusumawaty, Ira

Comparison of Early Childhood Development Rates in Two Different Types of Kinder Garten

Kusumawaty, Ira

overview of the implementation of Health Care Education in Diabetes Mellitus Patie with Diet Nonconformity

Kusumawaty, Ira

What Are the Facts in Online Nursing Education During the Covid-19 Pandemic?

Kusumawaty, Ira

The Nursing Implementation of Monitoring Blood Glucose in Increasing the Stability of Blood Glucose Level in Patients with Diabetes Mellitus

Kusumawaty, Ira

Comparative Study of Psychosocial Development Between Former Teenagers and Non Drug Users at Yayasan Ar-Rahman

Kusumawaty, Ira

Family Support For Members in Taking Care of Mental Disordered Patients

Kusumawaty, Ira

The Burden of a Family in Caring For Members Who Suffer From Mental Disorders

Kusuumawaty, Ira

Overview of the Characteristics of People with Mental Disorders and Family Caregiver

Laili, Khansa Zakiyatul

Cost-Effectiveness Analysis of Antihypertensive Drug Use in Hypertension-Diabetes Mellitus and Hypertension-Heart Failure Inpatients at a Government Hospital in Yogyakarta, Indonesia

Lasria, Simamora

The Comparison Study of Celery Leaves in Juice and Celery Boiled Water to Reduce of Blood Pressure on Elderly Patients with Hypertension

Linda, Irma

Characteristics, Knowledge, and Perception of Expectant Mothers About Preconception Preparations

Lisdahayati


Comparison of Early Childhood Development Rates in Two Different Types of Kinder Garten

Listrianah

The Effect of Apples as Self-Cleansing to Reduce Plaque Scores on Madrasah Ibtidaiyah

Tarbiyah Islamiyah Students Palembang

Lubis, Zulhaida



Lukman

Anxiety Stress and Fatigue in Hemodialysis Patient

Lussetyowati, Tutur

Study on Community Participation of Kampoong 3-4 Ulu Palembang Revitalization

Mangunsong, Sonlimar

How to Extract and to Examination of β -Carotene in Carrot (Daucus carota)

Mardiana

Nutrition Education of Booklet Media on Knowledge and Nutritional Intake of Obese Adolescents in Palembang

Margawati, Ani

Characteristics, Nutritional Status, and Sarcopenia in the Elderly in Pangkalpinang City

Mariadi, Pra Dian

Analysis of Physical and Chemical Water Quality (Sekanak River in Lowlands Area) to Support the Palembang City Government Revitalization Program

Marlina, Dewi

Formulation of Foot Lotion Containing Papaya Leaf Extract (Carica Papaya L.) With Tri Ethanol Amine Concentration Variation as Emulgator and Its Physical Stability

Marlindayanti

The Fruit of Seated (Melastomamalabathricum L.) As Agent for Detecting the Age and Acidity of Dental Plaque

Martini, Sri

Family Support For Members in Taking Care of Mental Disordered Patients

Martini, Sri

The Burden of a Family in Caring For Members Who Suffer From Mental Disorders

Maryanti, Lilis

Comparison of the Antioxidant Activity of Cashew (Anacardium occidentale L.) Leaf

Extract with the Soxhletation and Reflux Extraction Methods



Mediarti, Devi

What Are the Facts in Online Nursing Education During the Covid-19 Pandemic?

Mediarti, Devi

Effect of Mother Baby Care (MBC) Package with the Palembang Cultural Approach Adaptation to Physic and Psychological Period Post Partum

Meisyayati, Sari

The Effect of Some Herbal Juice Formula on Serum Total Cholesterol Level of High Lipid Diet-PTU Rats

Muliyadi

Family Support For Members in Taking Care of Mental Disordered Patients

Munarsih, Ensiwi

Antihyperlipidemia Effects of Jengkol Leaf Extract (Archidendron jiringa)

Nathania, Nadinda

Comparative Study of Psychosocial Development Between Former Teenagers and Non Drug Users at Yayasan Ar-Rahman

Nazarena, Yunita

Calcium Intake And Body Mass Index (BMI) On Bone Density

Nimah, Tanwirotun

The Risk of Lymphatic Filariasis Transmission in Belitung Regency After Elimination Program

Ningsih, Ratna

Analysis of Factors Affecting the Acceleration of Uterine Involution in the Postpartum

Ningsih, Annisa Silvia

Formulation and Receiving Power Cookies Hayakarah as an Effort to Prevent Anemia

Novidiyanto

Proximate of Pempek Instant Flour and Sensory Evaluation of Pempek from Mackerel Fish (Scomberomorus Commersonii)

Nursanti, Rina

The Role of Midwives in Overcoming Labor Pain

Nurul Hasri, R

The Substitution of Avocado Seed Flour to Rice Flour in the Manufacture of Traditio Palembang Food Gandus Cake









Atlantis Press

Atlantis Press – now part of Springer Nature – is a professional publisher of scientific, technical & medical (STM) proceedings, journals and books. We offer world-class services, fast turnaround times and personalised communication. The proceedings and journals on our platform are Open Access and generate millions of downloads every month.

For more information, please contact us at: contact@atlantis-press.com

- ▶ PROCEEDINGS
- JOURNALS
- ▶ BOOKS
- ▶ PUBLISHING SERVICES

- ABOUT
- NEWS
- CONTACT
- SEARCH

Home Privacy Policy Terms of use







Copyright © 2006-2021 Atlantis Press – now part of Springer Nature



Proceedings of the First International Conference on Health, Social Sciences and Technology (ICoHSST 2020)

Analysis of Physical and Chemical Water Quality (Sekanak River in Lowlands Area) to Support the Palembang City Government Revitalization Program

1st Pra Dian Mariadi

Department of Medical Laboratory Technology

Musi Charitas Catholic University

Palembang, Indonesia

pradian@ukmc.ac.id

2nd Ian Kurniawan

Department of Medical Laboratory Technology

Musi Charitas Catholic University

Palembang, Indonesia

iankurniawan019@gmail.com

Corresponding author: iankurniawan019@gmail.com

Abstract - The revitalization of the Sekanak River is one of the Palembang city government programs. Sekanak River is one of the oldest rivers in the city of Palembang that receives waste, from both industry and domestic so that the quality will experience pollution. The development of activities along the Sekanak River has affected river water quality. Decreased river water quality can be qualitative identified with the occurrence of changes in colour and odour. Some communities in the watershed area still use it for their daily needs. The current problem of decreasing the quality of river water in Sekanak requires chemical and physical examinations to anticipate the effects of environmental pollution. The study was conducted using a sample of water from the Sekanak River taken at 2 sample points close to human activities. The results showed that sample 1 showed several parameters that exceeded the quality standard while sample 2 that was located creek area was still in good condition. The physical parameters of the river point 1 water sample exceed the allowable limits for the Total Suspended Solids (TSS) and Total Dissolved Solids (TDS) parameters. For inorganic chemical parameters, the water sample at point 1 exceeds the allowed limits for the parameters of pH, ferrous (Fe) and lead (Pb) and sulphate ion content (SO4).

Keywords: Sekanak River, Water quality, Physical, Chemical.

I. INTRODUCTION

World Water Forum II in Den Haag in March 2000 has predicted that clean[1] water services for the

community are still difficult to implement and Indonesia is one of the countries experiencing water crisis in 2025. Increased human activity, changes in land use and increasingly diverse patterns of life of urban communities that produce domestic waste make the burden of pollutants on the river greater over time. Water quality degradation occurs because of uncontrolled waste disposal from development activities along the river so it is not in accordance with the carrying capacity of the river.

Indonesia has the river area lowlands widest in the world that is 20.6 million hectares (approximately 10.8% of Indonesia land area). In this area, around 35% (+7.2 million hectares) found on the island of Sumatera [2]. In this area, there are many community settlements. Communities living in the lowlands are generally very difficult to get clean water. Organic substances with water brownish red color and high acidity [3] have contaminated clean water in this region.

In general, rivers in the lowlands is peat which is formed from an organic substance, but there are also inorganic substances but in small qualities. The main elements forming peat are carbon (C), hydrogen (H), nitrogen (N) and oxygen

(O). These elements will form larger molecules such as humic acid, fulvic acid, cellulose, protein, lignin and bitumen [4]. Peatlands formed from heaps of organic



matter, so that thecarbon content in peat soils is very large.

Organic fraction in Indonesia is more than 95%, the rest is inorganic fraction which is less than 5%. The organic fraction consists of humic compounds around 10-20% and compounds of non-humic compounds that include lignin, cellulose, hemicellulose, wax, tannin, resin and a small amount of protein [5]. Main compounds forming peat the common are humid acid and folic acid, which are colloidal, amorphous, dark brown polymers. In the peat deposition environment, more than 90% are in a state of water saturation, some organic compounds will dissolved and dispersed which causes peat water to be dark brown.

Musi River is a river that has become the estuary are dozens of other large and small rivers with length of around 720 km and crosses the city of Palembang. Various activities in industries such as mining, plantation, agriculture, household activities, as well as a natural activity that goes into this river waters have an impact on the biota leeks and health. The activity also resulted in the exposure of heavy metals into river bodies [6]. Sekanak River is one of the rivers that flow in Palembang City that receives waste, both from industry and domestic. The development of industries and settlements along the Sekanak river flow has affected river water quality. The environment can be said to be polluted if it is entered or the introduction of pollutants that can cause interference with living things in it [7]. The decline in water quality marked by changes in the colour of the water and smell even though some people on the riverbanks still use the Sekanak River water for their daily needs.

One of the river be polluted if the quality of the water is not in accordance with the designation. Water quality standards according to river class based on Government Regulation No. 82 of 2001 concerning Management of water quality and water Pollution Control. Land use is an important part that has an influence on river water quality. The ability of river water capacity that already exists naturally to pollution needs to maintain to minimize the occurrence of river quality degradation [8]. Land use along the Sekanak River that can affect river water quality includes settlements and industry. Community activities that produce domestic wastewater discharges as well as the presence of the textile industry, songket, tofu, tempe and others that dispose of their waste water into the Sekanak river will affect water quality. Water quality management is carried out by efforts to control water pollution, namely by efforts to maintain the function of water so that the water quality meets quality standards [9].

The decline in the quality of the Musi River and its watershed occurred towards 1980. The Musi River began to lose its function due to water pollution, either due to factory waste, mine waste or due to household waste. Eventually, the loss of this function was followed by the loss of the river in the hearts of the people. Palembang people's awareness to maintain river cleanliness has continued to decline in the last 40 years, as evidenced by the rise of garbage dumping into rivers, river silting, river narrowing, followed by the loss of several Musi tributaries due to a combination of these factors. During its time, the Sekanak River once connected the Musi River and the Siguntang Hill, while now the rivers is no more than two kilometers long due to the disappearance of the upper reaches of the river due to landfill activity. An analysis of the quality of the Metro river in Malang and obtained from 3 locations of sampling points with criteria exceeding the TSS and BOD quality standards at point 1 and moderately polluted at points 2 and 3 [10]. Analyzed Temperature, TSS, pH, DO, BOD, COD, Chromium and Phosphate parameters at 6 sampling points in the Kupang River, Pekalongan where BOD levels at all points have exceed the quality standards and COD at only a few points [11].

Sekanak River is one of the Musi River tributaries that is risk of polluted. Besides causing unpleasant odors, garbage is floating in the river's flow. Plastic, wood, leaf, and other trash drifted along the flow to the Musi River. Although the water is pitch, some people, especially children, for bathing, still often use black, the river. Sekanak River is a river located in an urban area that is very vulnerable to pollution from industrial and household waste. However, some residents who live in the second river area still use the river, especially for bathing children. Sekanak River is one of the Musi River tributaries that is at risk of polluted. Besides causing unpleasant odors, garbage is floating in the river's flow. Plastic, wood, leaf, and other trash drifted along the flow to the Musi River. Although the water is pitch, some people especially children, for bathing, still often use black, the river. The use of Sekanak river water in fulfilling the daily activities of the population will have a short and long-term impact if there are no current data on the status of the Sekanak River water quality. Sekanak River is a regional government program in Palembang city to be revitalize and improved in both quantity and quality.

II. METHODS

A. Types of Research

The study was conducted using a quantitative descriptive approach. Descriptive method with a



quantitative approach in this study was used to describe the condition of the Sekanak river water quality from residential and industrial activities.

B. Research Time

This research was conducted in March or August 2019. The length of the Sekanak river as a research location along ± 2 km located in the city of Palembang.

C. Research Sampling Locations

The water quality research was carried out at two monitoring points by dividing into two segments, determining monitoring points as river water sampling points using a *purposive sampling method* based on case of access, cost and time in this study. The initial assumption in this study will be use 2 sampling points at the Radial Street (Fig.1) and creek points of the Sekanak River (Fig.2).



Fig. 1. Sampling points at Radial Street (Sampling 1)



Fig.2. Sampling Point at Creek (Sampling 2)

D. Research Sampling

The river water sampling method that is carried out directly using the grab sampling method is a method of taking a momentary sample that shows the characteristics of the water only at that time by using a

water sampler according to SNI 6989.59:2008. Before analyzed in a laboratory, preservation carried out so that there is no physical or chemical change. The parameters analyzed include the parameters of physics and organic chemistry.

E. Methods of Data Collection and Analysis

Data collection techniques carried out by observation, laboratory analysis, documentation and a combination technique.

- a. Field observations and measurements of river water quality carried out to directly observe community activities and analyze the condition of the study area including the measurement and recording of water discharge. Sampling for measurement of river water quality which is includes physical and chemical conditions
- Laboratory analysis of river water samples includes physical and chemical analysis in accordance with South Sumatera Government Regulation No. 16 of 2005 concerning Designation of Water and River Water Quality Standards
- Documentation used to describe the condition of the research location, land use and activities in the Sekanak River.

III. RESULTS

A. Physics Parameters

Physical water quality analysis includes several parameters, namely Temperature, *total suspended solid* (TSS) and *total dissolve solid* (TDS). For TSS examination using the standard method of SNI 6989.72.2009 and TDS inspection using U-10 Water Cracker. The results of the water physics test see in Table 1

Table 1. The results of the Sekanak River water physics test.

Physics Parameters	TLV ^a	A	В	Test Method
T (⁰ C)	Deviation 3	27,8	25,2	Instrumen
TSS (mg/L)	50	65	43	SNI 6989.72.2009
TDS (mg/L)	1000	1600	850	Water Chacker U-10

^aRegulation of the Governor of South Sumatra No. 16 of 2005 concerning the Designation of Water and River Quality Raw Water^{and} Palembang Mayor Regulation No. 2 of 2003 concerning River Water Quality Standards (Classes 1-4) and Liquid Waste Quality Standards

B. Chemical Parameters

Analysis of water quality inorganic chemistry includes testing the quality of acidity (pH), the content of metals such as iron (Fe), hardness (Mg), zinc (Zn), and lead metal (Pb), N content as nitrite and nitrate and anion content sulfate. Examination of inorganic chemical analysis by the spectrophotometric method except the degree of acidity carried out in the laboratory of the

A is Sample 1 (Radial Street)

B is sample 2 (Creek sekanak river)



Faculty of Natural Sciences, Sriwijaya University. The results of the inorganic chemical quality analysis of the water samples in the Radial Street and Creek of the Sekanak Palembang see in Table 2.

Table 2. Results of chemical analysis of inorganic samples of Sekanak river water

Chemical	TLVa	A	В	Test Method
Parameters				•
pН	6-9	5,2	6,8	SNI 066989.112004
Iron (Fe)	0,3 mg/L	0,45	0,23	Spectrophotometry
Manganese	0,2 mg/L	0,12	0,10	Spectrophotometry I
(Mn)				8
Nitrate as N	10 mg/L	8	8	Spectrophotometry.
Nitrite as N	0,06 mg/L	0,02	0,04	Spectrophotometry
Zinc (Zn)	0,005 mg/L	0,001	0	SpectrophotometryF
Sulfate (SO ₄)	400 mg/L	475	350	Spectrophotometryf
Lead (Pb)	0,03 mg/L	0,085	0,040	Spectrophotometry]

^aRegulation of the Governor of South Sumatra No. 16 of 2005 concerning the Designation of Water and River Quality Raw Water^{and} Palembang Mayor Regulation No. 2 of 2003 concerning River Water Quality Standards (Classes 1-4) and Liquid Waste Quality Standards

- A is Sample 1 (Radial Street)
- B is sample 2 (Creek sekanak river)

IV. DISCUSSION

Naturally, river ecosystems have a natural recuperation capacity (purification) to eliminate all pollutants that enter the river. However, this purification ability is very dependent on the intensity of pollutants from the surrounding environment. If the input materials of the surrounding environment liquefaction continue translating ongoing then purifying power of the river is not going to keep pace with the pollution[12] load. The result is that even though the river has purification capabilities, the water quality will continue to deteriorate [13].

The wastewater that has been treated is inseparable from the residue or residue that contains hazardous materials for aquatic life. Inorganic pollutants entering the waters from several industrial activities, community activities and natural resources, generally affect water quality. Accumulation of waste in the drain will become a large amount of waste and will affect the physical and chemical quality of water, for this reason, a study need to see how much the decline in water quality see from the physical and chemical parameters. [14]. Therefore, research to measure the physical and chemical quality of river water is an important activity at this time.

Palembang was once dubbed venice from the east because it made the river a means of transportation and community economic activity. Based on this history, the city government of Palembang plans to restore the function of rivers by normalizing and restoring rivers in Palembang. This activity was initiated by restoring the Sekanank River with the aim of making this river a water tourism site [15].

Sekanak River is a musi river, which located in the city of Palembang with a total flow area of 11.40 km². This river is part of a drainage system consisting of nineteen systems that exist in the city area of Palembang [16]. Sekanak River has an estuary in the Asekanak market and Hulu to the Soekarno Hatta Street. Based on field surveys in this study, Sekanak River is located between the centres of human activities ranging from housing, shops, and hotels to Syndustrial activities. Due to the silting process, Spollution by garbage and the low level of concern syrom the residents, the condition of the Sekanak River Mooks dirty and the water is brownish.

The quality of water for the parameter describes the amount of oxygen dissolved in water that is comparable to the speed of the metabolic activity of microorganisms [17]. The temperature of a body of water is influenced by the season, latitude, altitude from sea level, time of day, air circulation, cloud cover, flow and depth of water bodies. Temperature changes affect the physical and chemical processes of water bodies. The water temperature measured in this study was a bit high due to the river's condition which is more open and allows higher sunlight interaction.

The high *Total Suspended Solid* (TSS) content illustrates the presence of soil particles that accumulate in the waters. Dust, soil particles from the mining process, siltation can also cause high TSS content [18], while for total dissolved solids (*total dissolved solids / TDS*) consists of compounds organic and inorganic soluble in water, minerals and salts [19]. In this study the TSS and TDS content of upstream water samples were higher than those in the downstream and exceeded the permitted quality standard which indicates that upstream areas had more sources of organic-inorganic waste because they were passing through densely populated housing.

The degree of acidity (pH) is the negative logarithm of the concentration of hydrogen ions released by a solutions and the high level of these ions in the waters is a bad indicator of the quality of the water. This pH used to measure water stability. [20]. A good pH level is a pH level, which still allows biological life in the water to run well. A good pH for water is neutral (pH=7).

Based on the results of this study indicate that the acidity of the upstream sample is lower than the downstream water sample. Upstream water samples also exceed the allowable pH limit of 5.2. This will disturb the growth of microorganisms in upstream waters and thought to cause by the large potential of

244



organic waste in the form of phosphates and nitrates, which causes a decrease in water pH.

This is according to research [21] states that the acidity level of waters in each microorganism is different but usually in the range of 6.5 - 8.5. The acidity level of food water is generally high and fluctuating. This occurs because of the formation of acidic compounds such as phosphate and nitrate, which reduce the acidity of river water. Phosphate and nitrate can enter the aquatic environment because they are close to human activities and agriculture [22].Iron or ferrum (Fe) is a silvery white metal, clay and can be formed. Iron in nature is obtained in the form of Hematite. The presence of iron in water is dissolved and can cause the water to turn yellowish red, giving off a fishy odor and forming a layer like oil. The presence of iron in water can also cause water to have colour, smell and taste [23]. From the research results, the upstream iron (Fe) metal content of water samples is higher than downstream and exceeds the quality standard of 0.3 mg / L. The excess iron content in water causes odor, taste and causes the water to turn yellowish.

Toxic metals for humans are obtained from various sources such as industrial waste, household waste such as plastic and rotting piles of waste that are dumped directly into waters such as rivers. In this study, measuring 3 heavy metals namely metal content of Manganese (Mn), Iron (Fe), Zinc (Zn) and Lead (Pb). The highest content of manganese metal is 0.12 mg / L and the allowable limit is 0.2 mg / L. The highest iron (Fe) content is 0.45 mg / L and the allowable limit is 0.3 mg / L. The highest zinc (Zn) metal content is 0.001 mg / L and the highest permitted limit is 0.005 mg / L. For Lead (Pb) the highest content is 0.085 mg / L with an allowable limit of 0.03 mg / L. From the results of this study, it can be seen that there are two metal parameters that exceed water quality standards, namely iron and lead metal parameters. Both of these parameters are found in water samples in the Upper.

The content of heavy metals that exceed water quality standards need to be aware that heavy metals can cause health problems for the body. Lead (Pb) is very dangerous for humans because the mechanism of lead entry into the body can be through the respiratory system, digestion or directly through the surface of the skin. Lead poisoning can cause inflammation in the mouth, cause diarrhea, also cause anemia, nausea and abdominal pain and paralysis [24]. Lead can inhibit growth, decrease IQ, hyperactivity and mental disorders of children. Whereas in plants or plants, lead inhibits the speed of growth. Plant growth becomes stunted and chlorosis occurs in the leaves, which

ultimately decreases agricultural production [25]. The effects of sulfate levels on heavy metal release were systemically investigated. Heavy metal releases of Mn, Ni, Cu, Pb, Cr and As could be rapidly triggered by sulfate addition but the releases slowly decreased over time [26].

Nitrate ions (NO 3-N) are a common form of nitrogen compound found in natural waters. Denitrification under anaerobic conditions will result in a reduction reaction to nitrite (NO 2-N) and ammonia (NH₃). Nitrite ions quickly oxidize to nitrate ions. Nitrite is a form of nitrogen that is only partially oxidized. Nitrite is not found in wastewater are fresh but in the long waste [27].

The content of ammonia (NH ₃) in water is a global concern because of its very dangerous effects [28]. High ammonia content can cause a high number of fish deaths [29], increase white spot infections in fish [30], triggering damage to DNA levels for shrimp groups after exposure to ammonia for 48 hours. [17]. Ammonia content tends to be higher in summer. [31]. High levels of total ammonia in waters are thought to have originated from settlement waste and human animal disposal in the form of urine. Ammonia compounds naturally in the waters can also come from animal metabolism and the result of decomposition of organic matter by bacteria. High levels of ammonia indicate high pollution of organic matter. [32].

Based on the results of this study the levels of nitrite and nitrate in the water sample did not exceed the water quality standard that is with the highest levels of 0.02 mg / L for N as nitrite and 8 mg / L for N as Nitrate. It can be concluded that the N content in the water sample meets the acceptable limit. This examination is carried out because N compounds in the form of Nitrite, ammonia and nitrates in large quantities can cause Methemoglobinemia, namely the condition of Hemoglobin in the blood turned into methemoglobin so that the blood lacks oxygen and is known as "baby blues" [33].

V. CONCLUSION

The chemical and physical quality of water the Sekanak River on several parameters exceeds the limited threshold value. An increase in pollutant content in water after flowing from the creek into the river flow. Parameters that exceed the quality standard are TSS, TDS, Fe, Sulfate and Lead. Sekanak river revitalization program must pay attention to quality factors for the sustainability of the Sekanak river ecosystem.



ACKNOWLEDGMENT

This research was fully supported and funded by Department of Medical Laboratory Technology, Faculty of Health Science, Musi Charitas Catholic University, Palembang, Indonesia. Especially for Dean Faculty of Health Science, Mrs. Maria Nur Aeni, M.Kes.

REFERENCES

- [1] Said M, Nasir S, Priadi DP. The Effect of Pressure and Time Operation of Gasing River Water Treasure on Pollutant Concentration by Using Ceramic Membrane Separation. Sriwij J Environ 2018;3:47–54. https://doi.org/10.22135/sje.2018.3.2.47-54.
- [2] Tumbuhan I, Di O, Raya K, Dan S, Desa P, Kabupaten B, et al. IDENTIFICATION OF MEDICINAL PLANTS IN SRIWIJAYA BOTANICAL 2019;2:102–7.
- [3] Arita S. 5. Charact. Bentonite Jocet- naswir 2020.
- [4] Aryansyah, Ibrahim E, Nasir S, Said M, Kurniawan I, Huda A. A new prototype design and experimental study for assessing spontaneous coal combustion. J Ecol Eng 2019;20:9–17. https://doi.org/10.12911/22998993/108682.
- [5] Kementerian Pertanian. Panduan Pengelolaan Berkelanjutan Lahan Gambut Terdegradasi. 2014.
- [6] Setiawan AA, Emilia I, Suheryanto. Kandungan merkuri total pada berbagai jenis ikan. Semin Nas Sains Teknol V 2013;741–50.
- [7] Bahtiar A. Polusi Air Tanah akibat Limbah Industri dan Rumah Tangga serta Pemecahannya. Univ Padjajaran 2007;10:246–54.
- [8] Marfai MW dan MA. Kajian daya tampung sungai gajahwong thdp beban pencemaran. Maj Geogr Indones Vol 18, No 2, Sept 2004, Hal 81-97 2004:81–97.
- [9] Azwir. Analisa Pencemaran Air Sungai Tapung Kiri Oleh Limbah Industri Kelapa Sawit 2006.
- [10] Prayogo TB. Analisis Kualitas Air Dan Strategi Pengendalian Pencemaran Air Sungai Blukar Kabupaten Kendal. J Presipitasi 2012;9:64-71-71. https://doi.org/10.14710/presipitasi.v9i2.64-71.
- [11] Pohan DAS, Budiyono B, Syafrudin S. Analisis Kualitas Air Sungai Guna Menentukan Peruntukan Ditinjau Dari Aspek Lingkungan. J Ilmu Lingkung 2017;14:63. https://doi.org/10.14710/jil.14.2.63-71.
- [12] Kurniawan I, Mariadi PD. Analisis Potensi Cemaran Sisa Penggunaan Antibiotik di Perairan Umum (Studi Kasus: Badan Sungai Musi Kota Palembang). Sainmatika J Ilm Mat Dan Ilmu Pengetah Alam 2019;16:110. https://doi.org/10.31851/sainmatika.v16i2.3176.
- [13] Ujati ADBAS, Riyono AGUSP, Iti DANS. Water Quality Characteristic of Ciliwung River at Bogor Botanical Garden Segmen, Bogor. Water Qual Charact Ciliwung River Bogor Bot Gard Segmen, Bogor 2017;22:111–7. https://doi.org/10.29244/medkon.22.2.111-117.
- [14] Riena NN, Ayu W, Putri E, Agustriani F. Analisis Kualitas Perairan Muara Sungai Way Belau Bandar Lampung. / Maspari J 2012;04:116–21.
- [15] Inge N. Sensasi Sarapan Pagi di Warung Apung Sungai Musi Palembang. 2019.
- [16] (BLH) Kota Palembang BLH. Laporan Sungai Anak Sungai Palembang 2012.
- [17] Cheng CH, Ma HL, Su YL, Deng YQ, Feng J, Xie JW, et al. Ammonia toxicity in the mud crab (Scylla paramamosain): The mechanistic insight from physiology to transcriptome analysis. Ecotoxicol Environ Saf

- 2019;179:9-16.
- https://doi.org/10.1016/j.ecoenv.2019.04.033.
- [18] Fatoki OS, Muyima NYO, Lujiza N. Situation analysis of water quality in the Umtata River catchment. Water SA 2001;27:467–73. https://doi.org/10.4314/wsa.v27i4.4959.
- [19] Fardiaz S. Polusi Air dan Udara. 1992.
- [20] In D, East THE, Waters B, Belitung B. Hubungan Faktor Lingkungan Kimia, Fisika Terhadap Distribusi Plankton Di Perairan Belitung Timur, Bangka Belitung. J Perikan Univ Gadjah Mada 2009;11:31–45. https://doi.org/10.22146/jfs.2970.
- [21] Zinov'ev D V., Sole P. Quaternary codes and biphase sequences from Z8-codes. Probl Peredachi Informatsii 2004;40:50–62. https://doi.org/10.1023/B.
- [22] Chung O. Second edition. Taiwan Rev 2019;69.
- [23] Munfiah S, Setiani O. Kualitas Fisik dan Kimia Air Sumur Gali dan Sumur Bor di Wilayah Kerja Puskesmas Guntur II Kabupaten Demak. J Kesehat Lingkung Indones 2013;12:154–9. https://doi.org/10.14710/jkli.12.2.154.
- [24] Mariadi PD, Kurniawan IAN, Setiawan H. Lead and cadmium mobilization from anas moscha and cairina moschata tissue using pineapple extract as chelating agents. Pollut Res 2018;37:330–3.
- [25] Zhang L, Xu EG, Li Y, Liu H, Vidal-Dorsch DE, Giesy JP. Ecological risks posed by ammonia nitrogen (AN) and unionized ammonia (NH3) in seven major river systems of China. Chemosphere 2018;202:136–44. https://doi.org/10.1016/j.chemosphere.2018.03.098.
- [26] Sun H, Shi B, Yang F, Wang D. Effects of sulfate on heavy metal release from iron corrosion scales in drinking water distribution system. Water Res 2017;114:69–77. https://doi.org/10.1016/j.watres.2017.02.021.
- [27] Ginting P. Sistem Pengelolaan Lingkungan dan Limbah Industri, 2007.
- [28] Park TJ, Lee JH, Lee MS, Park CH, Lee CH, Moon SD, et al. Development of water quality criteria of ammonia for protecting aquatic life in freshwater using species sensitivity distribution method. Sci Total Environ 2018;634:934–40.
 - https://doi.org/10.1016/j.scitotenv.2018.04.018.
- [29] Egnew N, Renukdas N, Ramena Y, Yadav AK, Kelly AM, Lochmann RT, et al. Physiological insights into largemouth bass (Micropterus salmoides) survival during long-term exposure to high environmental ammonia. Aquat Toxicol 2019;207:72–82. https://doi.org/10.1016/j.aquatox.2018.11.027.
- [30] Lu X, Luan S, Dai P, Luo K, Chen B, Cao B, et al. Insights into the molecular basis of immunosuppression and increasing pathogen infection severity of ammonia toxicity by transcriptome analysis in pacific white shrimp Litopenaeus vannamei. Fish Shellfish Immunol 2019;88:528–39. https://doi.org/10.1016/j.fsi.2019.03.026.
- [31] Wang X, Li J, Chen J, Cui L, Li W, Gao X, et al. Water quality criteria of total ammonia nitrogen (TAN) and unionized ammonia (NH3-N) and their ecological risk in the Liao River, China. Chemosphere 2020;243. https://doi.org/10.1016/j.chemosphere.2019.125328.
- [32] Effendi H. Telaah Kualitas Air bagi Pengelolaan Sumber Daya dan Lingkungan Perairan. 2003.
- [33] . Soemirat.Kesehatan Lingkungan Yogyakarta. 2009.